



AZORE

Azore makes its first appearance in our collection this year. Tilt the umbrella in height with a self locking tooth belt system at the back of its pole or tilt left and right by means of the lever. The pedal at the bottom of the pole allows you to rotate the umbrella 360° around its axis. Choose a colour combination to your preference and enjoy sufficient shade on all sunny days, wherever you want on your terrace.



300 x 300 cm

- ✓ Full aluminium frame.
- ✓ Tilt in height.
- ✓ Tilt left and right.
- ✓ Rotate 360° around its pole.

FRAME

Free pole umbrella with crank handle.
Pole & ribs are aluminium powder coated.
Pole profile: 95 x 65 x 2,5 mm, 3,7 x 2,5 x 0,1".
Ribs profile: 28 x 14 x 1,2 mm, 1,1 x 0,5 x 0,05".

CANOPY

270g/m², 100% solution dyed acrylic.

TILT & ROTATION

Tilt in height, left and right and rotate 360° around its pole.

WIND SPEED

27 km/h, 17 mph - Maximum wind speed to which the umbrella may be exposed.



jardinico®

FRAME & CANOPY COMBINATIONS

A01

white

+

C101

cloud

A30

anthracite

+

C204

night

A32

black



+

C208


black

300 X 300 CM

300 X 300 CM	Weight net	Weight gross	Packaging CBM / CCF
UMAZO UMBRELLA FRAME & CANOPY	23.5 kg - 52 lbs	26.5 kg - 58 lbs	262 x 43 x 20 cm, 0.2 cbm



300 X 300 CM	
A	375 cm - 147.6"
B	203 cm - 79.9"
C	262 cm - 103.1"
D	355 cm - 139.8"
E	130 cm - 51.2"
F	300 cm - 118.1"



BASES

SILK GREY GRANITE	Weight net	Weight gross
UBAZO-125CA-G04 BASE	125 kg - 276 lbs	132 kg - 291 lbs



80 x 80 x 7 cm
31.5 x 31.5 x 2.8"

G04 light grey granite, bush hammered

IN GROUND BASE	Weight net	Weight gross
UBIGB-AZO-4G-MEDIUM	5.7 kg - 12.6 lbs	8.5 kg - 18.7 lbs



ø 14.5 x 50 cm
ø 5.7 x 19.8"

steel

ON GROUND BASE	Weight net	Weight gross
UBOGB-AZO-4G-MEDIUM	8 kg - 17.6 lbs	9 kg - 19.8 lbs



ø 17 x 1.2 cm
ø 6.7 x 0.5"


steel

PROTECTION & LUNA LED LIGHT

PROTECTION COVER

We suggest to always use the protection cover to protect your outdoor umbrella from poor weather conditions or when not in use during the summer. The stain resistant and water repellent cover will extend their life for you to enjoy your umbrella whenever you like.

To enhance the durability and appearance, we recommend following our care instructions regularly.

Ref.	Colour	Swatch	About this fabric
X75	Grey		100% solution dyed polyester with PU coating




LUNA LED LIGHT

You create a warm glow by adding this outdoor umbrella light to the built-in holder on the frame. Luna LED light is wireless with 16 LEDs and gives a warm colour. Using the BT speaker, the module will play music for six to ten hours.

Colour: grey

Light: LED warm light



MAINTENANCE

To enhance the durability and appearance, we recommend following our care instructions regularly.

The umbrella should never be used in strong wind or rainy conditions. An open umbrella should never be left unattended.

The umbrella should be protected against blurring or damage by using its protection cover.

The protection cover can be placed over the umbrella and pole. Store the umbrella in a dry place when not in use.

Before use, you can apply an invisible film to make the canopy stain and water repellent by using a textile protector.

Clean the aluminium frame with a damp cloth, mild soap and water. Do not use any sharp tool to avoid scratches.

You can maintain and clean your canopy by following a few simple steps:

- Brush off loose dirt before it becomes embedded in the fabric.
- Hose down.
- Spot clean soon after stains occur with water and mild soap or textile cleaner (no detergents). Use a soft bristle brush to clean.
- Allow soap to soak in.
- Rinse thoroughly.
- Always let the canopy air dry completely before storing or covering.

Machine wash in cold water. Depending on wash load size, use normal amounts of mild laundry detergent and add 1 cup of bleach.

Allow fabric to air dry.



Maintenance set:

2 scrubbing sets

3 application cloths

Textile protector 750 ml

Textile cleaner 750 ml



MADE FOR **SHADE &
OUTDOOR LIVING.**

www.jardinico.com